

MIU ART

Compact & minimalist design

Ceiling light in four compact sizes

Switchable CCT: 2700K / 3000K / 4000K

Convex lens optics, UGR<19

Phase Dim & DALI versions available

Premium finishes for refined interiors



MIU ART-S – Ceiling Mounted Light




Quick Info

- LUMENS LED: AC COB, 4W, CRI>90
- CCT: 2700K, 3000K, 4000K Available as Standard
- Beam Angle: 36°
- Lumen Output: Up to 240lm System Luminous Flux
- IP Class: IP20
- Dimming: 220-240VAC Direct Input, Phase Dim




Light Distribution



Standard Finish



Optional Finish



Order Info (MIU ART-S in Black Housing as an Example)

LED Power	System Power	Input Power	CRI	CCT	Beam	LED Output	System Output	Code
3W	4W	220-240VAC	90	2700K	36°	300lm	210lm	MIAS-9273604P-BB
				3000K	36°	320lm	220lm	MIAS-9303604P-BB
				4000K	36°	350lm	240lm	MIAS-9403604P-BB

Code Remark: P=P(Phase Dim)

Coding


MIAS	-	***	**	**	*	-	**	-
Model	CRI/ CCT	Beam Angle	Power	Control	Finish	Accessory		
MIAS	927	36	04	P	WW			
MIU ART-S-4W	CR190/ 2700K	36°	4W	Phase Dim	White			
	930				BB			
	CR190/ 3000K				Black			
	940				GG			
	CR190/ 4000K				Gold			
					CR			
					Chrome			

MIU ART-M – Ceiling Mounted Light




Quick Info

- LUMENS LED: AC COB, 8W, CRI>90
- CCT: 2700K, 3000K, 4000K Available as Standard
- Beam Angle: 48°
- Lumen Output: Up to 600lm System Luminous Flux
- IP Class: IP20
- Dimming: 220-240VAC Direct Input, Phase Dim




Light Distribution



Standard Finish



Optional Finish



Order Info (MIU ART-M in Black Housing as an Example)

LED Power	System Power	Input Power	CRI	CCT	Beam	LED Output	System Output	Code
7W	8W	220-240VAC	90	2700K	48°	670lm	520lm	MIAM-9274808P-BB
				3000K	48°	700lm	550lm	MIAM-9304808P-BB
				4000K	48°	750lm	600lm	MIAM-9404808P-BB

Code Remark: P=P(Phase Dim)


Coding

MIAM	-	***	**	**	*	-	**	-
Model	CRI/ CCT	Beam Angle	Power	Control	Finish	Accessory		
MIAM	927	48	08	P	WW			
MIU ART-M-8W	CR190/ 2700K	48°	8W	Phase Dim	White			
	930				BB			
	CR190/ 3000K				Black			
	940				GG			
	CR190/ 4000K				Gold			
					CR			
					Chrome			


MIU ART-S DALI – Ceiling Mounted Light



- Quick Info**
- CITIZEN LED: 5W, CRI>90
 - CCT: 2700K, 3000K, 4000K Available as Standard
 - Beam Angle: 30°
 - Lumen Output: Up to 470lm System Luminous Flux
 - IP Class: IP20
 - Dimming: DALI Dim




Light Distribution



Standard Finish



Optional Finish



Order Info (MIU ART-S DALI in Black Housing as an Example)

LED Power	System Power	LED Voltage	LED Current	CRI	CCT	Beam	LED Output	System Output	Code
5W	6W	34V	150mA	90	2700K	30°	780lm	430lm	MIAS-9273006D-BB
					3000K	30°	810lm	450lm	MIAS-9303006D-BB
					4000K	30°	850lm	470lm	MIAS-9403006D-BB

Code Remark: D=D(DALI Dim)

Coding

MIAS	-	***	**	**	*	-	**	-
Model	CRI/ CCT	Beam Angle	Power	Control	Finish	Accessory		
MIAS	927	30	06	D	WW			
MIU ART-S DALI	CRI90/ 2700K	30°	6W	DALI Dim	White			
	930				BB			
	CRI90/ 3000K				Black			
	940				GG			
	CRI90/ 4000K				Gold			
					CR			
					Chrome			




Project: Application Reference


MIU ART-M DALI – Ceiling Mounted Light



- Quick Info**
- CITIZEN LED: 8.5W, CRI>90
 - CCT: 2700K, 3000K, 4000K Available as Standard
 - Beam Angle: 50°
 - Lumen Output: Up to 840lm System Luminous Flux
 - IP Class: IP20
 - Dimming: DALI Dim



Light Distribution



Standard Finish



White Black

Order Info (MIU ART-M DALI in Black Housing as an Example)

LED Power	System Power	LED Voltage	LED Current	CRI	CCT	Beam	LED Output	System Output	Code
8.5W	10W	34V	250mA	90	2700K	50°	1400lm	770lm	MIAM-9275010D-BB
					3000K	50°	1440lm	800lm	MIAM-9305010D-BB
					4000K	50°	1500lm	840lm	MIAM-9405010D-BB

Code Remark: D=D(DALI Dim)

Optional Finish



Gold Chrome
*Customized Colors Optional

Coding

MIAM	-	***	**	**	*	-	**	-
Model	CRI/ CCT	Beam Angle	Power	Control	Finish	Accessory		
MIAM	927	50	10	D	WW			
MIU ART-M DALI	CRI90/ 2700K	50°	10W	DALI Dim	White			
	930				BB			
	CRI90/ 3000K				Black			
	940				GG			
	CRI90/ 4000K				Gold			
					CR			
					Chrome			



Project: Application Reference